

S/N: 10/586,542


Page 2 of 8

RECEIVED  
CENTRAL FAX CENTER  
DEC 04 2009**AMENDMENT TO THE CLAIMS**

Please amend the claims in the following Listing of Claims which shall replace any previous listing. No new matter has been added.

**Listing of Claims**

1. (Currently Amended) A process for purification of optically impure Ramipril to obtain Ramipril(I) having the chemical formula (2S,3aS,6aS)-1-[(S)-2-[(S)-1-(ethoxycarbonyl)-3-phenylpropyl]-amino]propanoyl]octahydrocyclopenta[b]pyrrole-2-carboxylic acid of formula (1)



(1)

---

having optical purity of at least 99.9 %, which comprises crystallizing optically impure Ramipril from an organic solvent selected from nitromethane, dimethoxymethane, diethoxymethane, and 2,2, -dimethoxy propane and mixtures thereof .

2. (Previously Presented) The process as claimed in claim 1 wherein the organic solvent is diethoxymethane.
3. (Withdrawn) A monohydrate of Ramipril(I), characterized by the following X-ray powder diffraction pattern

S/N: 10/586,542

Page 3 of 8

Diffraction angle <u>2 <math>\theta</math></u>	Relative Intensity (%)
8.7	16
9.2	3
9.4	3
9.7	3
11.2	81
11.6	33
12.2	66
14.54	96
15.7	70
18.0	51
19.7	81
24.5	49
24.8	30

4. (Withdrawn) The Ramipril(I) monohydrate as claimed in claim 3 having an X-ray diffractogram, or substantially the same X-ray diffractogram, as set out in Figure 1a.

S/N: 10/586,542

Page 4 of 8

5. (Withdrawn) The Ramipril(I) monohydrate as claimed in claim 3 having DSC thermogram as described in Fig. 1c.
6. (Withdrawn) The Ramipril(I) monohydrate as claimed in claim 3 having TGA thermogram as described in Fig. 1d.
7. (Withdrawn) A process for preparation of Ramipril(I) monohydrate comprising of crystallizing optically impure Ramipril from a mixture of water and water-immiscible solvents.
8. (Withdrawn) The process claimed in claim 7 wherein the ratio of water-immiscible solvent to water is in the range from 2 to 98% w/w.
9. (Withdrawn) The process as claimed in claim 8 wherein the said water-immiscible solvent is selected from an aliphatic ester, an acetal, a hydrocarbon or a mixture thereof.
10. (Withdrawn) The process as claimed in claim 8 wherein the said water-immiscible solvent is selected from diisopropyl ether, diethoxymethane, 2,2-dimethoxy propane, cyclohexane, methyl isobutyl ketone and ethyl acetate or a mixture thereof.
11. (Withdrawn) A process for preparation of Ramipril(I) monohydrate comprising of crystallizing optically pure Ramipril(I) from water.
12. (Withdrawn) A pharmaceutical composition comprising an effective ACE inhibitory amount of Ramipril(I) monohydrate as claimed in , together with one or more pharmaceutically acceptable carriers, diluents or excipients thereof.

S/N: 10/586,542

Page 5 of 8

13. (New) The process as claimed in claim 1, wherein the optically pure Ramipril(I) is obtained by the process consisting essentially of the crystallizing from the organic solvent.